



JST139E-600E 16A TRIAC

Rev.A.1.1

DESCRIPTION:

Ta 9 E 0 1111p
01111111
11111111
11111111

n

11111111

(A w - 3

ELECTRICAL CHARACTERISTICS

JST139E-600E


ORDERING INFORMATION

| Order code | Voltage V _{DRM} /V _{RRM} (V) | IGT(mA) | | Package | Base qty. (pcs) | Delivery mode |
|-----------------|---|---------|----|---------|--------------------|---------------|
| | | - | - | | | |
| JST139E-600E | 600 | 10 | 25 | TO-263 | 50 | Tube |
| JST139E-600E-TR | | | | | 800 | Tape & Reel |

Document Revision History

| Rev | Change | Reason |
|-----|--------|--------|
| A | .14,0 | A 10 |

PACKAGE MECHANICAL DATA 



| R | D | | | | | |
|---|---|---|---|---|---|---|
| | M | | | b | | |
| | M | φ | M | M | φ | M |
| A | ∅ | | ∅ | ∅ | | ∅ |
| B | ∅ | | ∅ | ∅ | | ∅ |
| C | ∅ | | ∅ | ∅ | | ∅ |
| D | ∅ | | | ∅ | | |
| E | ∅ | | ∅ | ∅ | | ∅ |
| F | ∅ | | ∅ | ∅ | | ∅ |
| | | | | | | |
| | | | | | | |
| | | | | | | |

